



iTango HO

Dimension	1648*651*1110mm
Wheel base	1150mm
Front track	460mm
Cushion height	740mm
Rated voltage	48v
Curb weight	83KGs
Max loading	154KGs
Battery	48v26Ah Lithium battery
Motor	1200W BOSCH
Rim	12' Aluminum
Front tyre	70/90-12
Rear tyre	90/70-12
Braking	Hydraulic Disc Brake
Range	50km(45km/h) / 70km(25km/h)
Speed	Gear1: 25km/h Gear2: 45km/h
Color	Black, Blue, yellow, Red, White
Dashboard	LCD
Lights	LED
Max. leaning angle	≤30°
Max. steering angle	≤34°
Climbing angle	≤12°
Maximum Front wheel travel	180mm

NEW ARRIVAL



Battery sys.	
Battery weight	<10kgs
Battery cell	18650 Panasonic Lithium cell
Cycle charging times	600 times
Ambient tem. Using	-20°C to 60°C
Ambient tem. Store	-20°C to 60°C
Ambient tem. Charging	0°C to 45°C
Charge time	5.5 Hours
Charger	5A

www.matgr.com

Features

- Modern & fashionable design
- Lightweight body structure
- The underneath Doohan dual front-wheel technology system, a.k.a. DDWT-S, provides the ultimate driving experience and safety.
- Self balancing and anti tilt locking mechanism.
- LCD dashboard.
- 280° integrated LED tail lights.
- Anywhere easy charging.
- 2 front driving modes
- Reverse assisting drive mode.
- Smooth suspension for a smooth ride.
- Zero emissions, Zero noise.
- Three hydraulic disc brakes, allowing a short braking distance
- High-performance wheel-hub motors from Bosch 1200watt with a 115N.M maximum torque, 90% energy conservation rate
- Battery safety features an over-charge/discharge protection.